#### ADVERTISEMENT FOR BIDS

Notice is hereby given that sealed bids will be received by the City of Burlington, Burlington County, New Jersey, for 2025-2026 Public Works On-Call Contractor for Miscellaneous Reconstruction (the "Project") until 10:00 AM prevailing time on December 3, 2024, at which time the bids will be opened and publicly read aloud in the office of the Council Chambers of City Hall at 525 High Street, Burlington City, New Jersey. Bids received after the designated time shall be deemed unresponsive and shall not be opened.

The Project generally includes: providing materials, supplies, equipment, and labor for miscellaneous road, drainage, storm sewer, potable water, and sanitary sewer repairs/reconstruction and emergency work in the City of Burlington, on an on-call basis. There is also the potential for a backup contract position.

Drawings, specifications, and contract documents for the proposed Project, prepared by Environmental Resolutions, Inc., Consulting Engineers, have been filed in the Office of the City Engineer at 815 East Gate Drive – Suite 103, Mount Laurel, New Jersey 08054, and may be inspected by prospective bidders during normal business hours.

Bidders may obtain copies of the drawings, specifications, and contract documents from the Office of the City Engineer upon payment of Fifty Dollars and Zero Cents (\$50.00). Checks should be made payable to Environmental Resolutions, Inc. The payment for such documents is non-refundable. If the bidder requires the documents to be mailed to them, there is an additional Fifteen Dollars and Zero Cents (\$15.00) fee for postage.

Bids must be made on the standard Bid form contained within the drawings, specifications, and contract documents, in the manner designated therein and required by the specifications. Further, bids must be enclosed in a sealed envelope bearing the name and address of the bidder and the Project title on the outside, and addressed to: Municipal Clerk, City Hall, 525 High Street, Burlington City, New Jersey 08016.

Each bid must be accompanied by (i) all documents listed on the Bid Document Submission Checklist, as applicable, and (ii) a bid guarantee in an amount not less than Ten Percent (10%) of the total bid price as established in the Bid, not to exceed Twenty Thousand Dollars and Zero Cents (\$20,000.00). The bid guarantee must be in the form of a bid bond, certified check, or cashier's check, must be drawn to the order of the City of Burlington and must be delivered simultaneous with the sealed bid.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq., N.J.A.C.17:27, and all other applicable laws referenced within the drawings, specifications, and contract documents.

Burlington City reserves the right to (i) reject all bids pursuant to N.J.S.A. 40A:11-13.2 and (ii) to waive minor informalities and/or non-material exceptions in any bid should it be in the interest of Burlington City to do so. Further, Burlington City shall reject any bid that contains material nonconformities or conditions or which is materially nonresponsive. In the event Burlington City does not reject all bids as permitted under N.J.S.A. 40A:11-13.2, in accordance with N.J.S.A. 40A:11-4, and other applicable laws, the Project will be awarded to the lowest responsible bidder.

By order of the Council of Burlington City, Burlington County, New Jersey.

(rev11/20) ADV-1

## 

For the 2025-2026 On Call Contractor for Miscellaneous Road, Drainage, and Utility Reconstruction for the City of Burlington, Burlington County, New Jersey.

The undersigned, as bidder, declares that:

7. Concrete Roadway (8" thick)

(1) Contra	(s)he has carefully examined the annex act and Bond, and the accompanying draw			, Specifications	, and forms for					
(2)	(s)he has received, examined and taken into full account the provisions of Addenda Number, dated									
(if	none, so state)									
(3) regulat	(s)he has familiarized himself with all I tions affecting the proposed Project;	Federal, State and lo	ocal law	vs, ordinances, 1	rules and					
(4) necessa	(s)he has visited the sites of the work a ary; and	nd made such indep	endent	investigations	as he deems					
(5) the pro	(s)he has examined fully into the condiposed work;	tions, costs and exp	enses i	nvolved in the p	performance of					
City of power, perforr Specifi Specifi	the hereby proposes and agrees that if this Burlington, in the County of Burlington, labor, services, hauling, superintendence in all work of installation, construction are ications and/or illustrated on the drawing ications, for the following prices, to wit:  1. 1. 2025 to December 2025	to provide the necessity and all materials and completion of the	essary and thin e entire	equipment, mad gs required for Project describ	chinery, tools, , and will do and ed in said					
Item	Description	Quan	tity	Unit Price	Amount					
Miscell	laneous Concrete									
1.	4" Concrete Sidewalk	16	S.F.	\$	\$					
2.	6" Concrete Apron/Sidewalk	40	S.F.	\$	\$					
3.	Brick Sidewalk	40	S.F.	\$	\$					
4.	6"x8"x18" Concrete Curb	20	L.F.	\$	\$					
5.	ADA Compliant Curb Ramp	1	Unit	\$	\$					
6.	Concrete Gutter (8" thick)	20	S.F.	\$	\$					

20 S.F.

\$\_\_\_\_\_

# **Miscellaneous Paving**

8.	Milling, 2" Thick (<2,000 SY)	1,000	SY	\$ \$
9.	Milling, 2" Thick (>2,000 SY)	2,500	SY	\$ \$
10.	Milling, 6" Thick (<2,000 SY)	1,000	SY	\$ \$
11.	Milling, 6" Thick (>2,000 SY)	2,500	SY	\$ \$
12.	HMA 9.5M64 Surface Course, installed without Paver, Tamped or Rolled (<20 tons)	10	TN	\$ \$
13.	HMA 9.5M64 Surface Course installed by Paver to include Tack Coat, Rolling of Asphalt (20 to 200 tons)	50	TN	\$ \$
14.	HMA 9.5M64 Surface Course installed by Paver to include Tack Coat, Rolling of Asphalt (>200 tons)	250	TN	\$ \$
15.	HMA 19M64 Base Course, installed without Paver, Tamped or Rolled (<20 tons)	10	TN	\$ \$
16.	HMA 19M64 Base Course installed by Paver to include Rolling of Asphalt (20 to 200 tons)	50	TN	\$ \$
17.	HMA 19M64 Base Course installed by Paver to include Rolling of Asphalt (>200 tons)	250	TN	\$ \$
18.	Bituminous Cold Patch	10	TN	\$ \$
Miscella	aneous Earthwork and Site Restoration			
19.	On-Site Excavation, Unclassified includes General Excavation	20	C.Y.	\$ \$
20.	Dense Graded Aggregate Subbase	10	C.Y.	\$ \$
21.	Select Borrow (clean, organic free, granular material to be used for roadway subgrade and/or pipe trench backfill) NJDOT mixes I-2, I-5 (gravel), I-6, I-7, or I-8	10	C.Y.	\$ <u> </u>
22.	Flowable Fill	5	C.Y.	\$ <u> </u>
23.	Crushed Stone 3/8" to 1/2"	1	TN	\$ \$
24.	4" Topsoil and Sod	20	S.Y.	\$ \$

25. 4" Topsoil and Seed	20	S.Y.	\$ \$
26. Remove Tree	1	Unit	\$ \$
27. Plant Tree	1	Unit	\$ \$
Storm Sewer Structures			
28. Reset Type B Inlet Frame and Head	1	Unit	\$ \$
29. Replace Inlet Head and Grate	1	Unit	\$ \$
30. Cement Parging of Inlet Interior, 0'- 6' deep	1	Unit	\$ \$
31. Reconstruction of Existing Inlet, 0'- 6' deep	1	Unit	\$ \$
32. Construct Type "A" Inlet, 0'- 6' deep	1	Unit	\$ \$
33. Construct Type "A" Inlet, 6'- 10' deep	1	Unit	\$ \$
34. Construct Type "B"/"E" Inlet, 0'-6' deep	1	Unit	\$ \$
35. Construct Type "B"/"E" Inlet, 6'- 10' deep	1	Unit	\$ \$
Miscellaneous Storm Sewer			
36. Storm Sewer Point Repair, 0'-6' deep	1	L.S.	\$ \$
37. Storm Sewer Point Repair, 6'-10' deep	1	L.S.	\$ \$
38. Construct 12" RCP, 0'- 6' deep	30	L.F.	\$ \$
39. Construct 12" RCP, 6'-10'deep	30	L.F.	\$ \$
40. Construct 15" RCP, 0'-6' deep	30	L.F.	\$ \$
41. Construct 15" RCP, 6'-10' deep	30	L.F.	\$ \$
42. Construct 18" RCP, 0'-6' deep	30	L.F.	\$ \$
43. Construct 18" RCP, 6'- 10' deep	30	L.F.	\$ \$
44. Construct 21" RCP, 0'-6' deep	30	L.F.	\$ \$
45. Construct 21" RCP, 6'- 10' deep	30	L.F.	\$ \$
46. Construct 24" RCP, 0'-6' deep	30	L.F.	\$ \$
47. Construct 24" RCP, 6'- 10' deep	30	L.F.	\$ \$
48. Construct 30" RCP, 0'-10' deep	30	L.F.	\$ \$

49.	Construct 36" RCP, 0'-10' deep	30	L.F.	\$ \$
50.	Construct 6" HDPE Solid or Perforated in Stone Trench, 0' – 8' deep	30	L.F.	\$ \$
51.	Construct 12" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$
52.	Construct 15" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$
53.	Construct 18" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$
54.	Construct 24" HDPE Solid or Perforated in Stone trench 0'- 8' deep	30	L.F.	\$ \$
55.	Construct 30" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$
56.	Construct 36" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$
57.	Construct 12" DIP Storm Drain, 0'– 8' deep	50	L.F.	\$ \$
Sanitar	y Sewer Structures			
58.	Reconstruct Manhole, 0'- 6' deep	1	Unit	\$ \$
59.	Reconstruct Manhole, 6'-10' deep	1	Unit	\$ \$
	Reconstruct Manhole, 10'-16' deep	1	Unit	\$ \$
	Reset Manhole Frame, includes all Adjacent Restoration	1	Unit	\$ \$
62.	Install New Manhole Casting and Lid, includes all Adjacent Restoration	1	Unit	\$ \$
63.	Construct Manhole, 0'- 6' deep	1	Unit	\$ \$
64.	Construct Manhole, 6'-10' deep	1	Unit	\$ \$
65.	Construct Manhole, 10'-16' deep	1	Unit	\$ \$
Miscella	aneous Sanitary Sewer			
66.	Replace Sewer Lateral Cleanout 4" PVC, 0'- 6' deep, to include Grass Restoration	1	Unit	\$ \$
67.	Replace Sewer Lateral Cleanout 4" PVC, 6'- 12' deep, to include Grass Restoration	1	Unit	\$ \$

68.	Replace sewer lateral 4" PVC, 0'-6' deep, to include Grass Restoration	10	L.F.	\$ \$
69.	Replace sewer lateral 4" PVC, 6'-12' deep, to include Grass Restoration	10	L.F.	\$ \$
70.	Replace Sewer Lateral 4" PVC, 0'-6' deep, to include Pavement Restoration	10	L.F.	\$ \$
71.	Replace Sewer Lateral 4" PVC, 6'-12' deep, to include Pavement Restoration	10	L.F.	\$ \$
72.	Sanitary Sewer Point Repair, 0'-6' deep, includes Roadway Restoration	1	L.S.	\$ \$
73.	Sanitary Sewer Point Repair, 6' – 12' deep, includes Roadway Restoration	1	L.S.	\$ \$
74.	Sanitary Sewer Point Repair, 12' – 18' deep, includes Roadway Restoration	1	L.S.	\$ \$
75.	Construct 8" PVC Sanitary Sewer, 0'-6' deep	30	L.F.	\$ \$
76.	Construct 8" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$
77.	Construct 8" PVC Sanitary Sewer, 12'-18' deep	30	L.F.	\$ \$
78.	Construct 10" PVC Sanitary Sewer, 0'-6' deep	30	L.F.	\$ \$
79.	Construct 10" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$
80.	Construct 10" PVC Sanitary Sewer, 12'-18' deep	30	L.F.	\$ \$
81.	Construct 12" PVC Sanitary Sewer 0'-6' deep	30	L.F.	\$ \$
82.	Construct 12" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$
83.	Force Main Point Repair, 0'-8' Deep, Includes Roadway Restoration	1	L.S.	\$ \$

## **Miscellaneous Water**

	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
	Water Main Point Repair, includes adway Restoration	1	L.S.	\$ \$
90. Con	nstruct 4" C.L.D.I.P. Water Main	30	L.F.	\$ \$
91. Con	nstruct 6" C.L.D.I.P. Water Main	30	L.F.	\$ \$
92. Con	nstruct 8" C.L.D.I.P. Water Main	30	L.F.	\$ \$
93. Co	nstruct 10" C.L.D.I.P. Water Main	30	L.F.	\$ \$
94. Con	nstruct 12" C.L.D.I.P. Water Main	30	L.F.	\$ \$
95. Con	nstruct 16" C.L.D.I.P. Water Main	30	L.F.	\$ \$
	pair/ Replace 4" Water Main Gate Valve, ludes Roadway Restoration	1	Unit	\$ \$
	pair/ Replace 6" Water Main Gate Valve, ludes Roadway Restoration	1	Unit	\$ \$
-	pair/Replace 8" Water Main Gate Valve, ludes Roadway Restoration	1	Unit	\$ \$
	pair/ Replace 10" Water Main Gate Valve, adway Restoration	1	Unit	\$ \$
	Lepair/Replace 12" Water Main Gate Valve, includes Roadway Restoration	1	Unit	\$ \$
	depair/Replace 16" Water Main Gate Valve, includes Roadway Restoration	1	Unit	\$ \$
	depair/Replace Fire Hydrant, includes doadway Restoration	1	Unit	\$ \$

103.	Repair/ Replace Blowoff, includes	1	Unit	\$ \$	
	Roadway Restoration				
104.	Repair/Replace Yard Hydrant, includes Roadway Restoration	1	Unit	\$ <u>           \$                         </u>	
105.	Construct 4" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$	
106.	Construct 6" Insertion Valve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
107.	Construct 8" Insertion Valve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
108.	Construct 10" Insertion Valve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
109.	Construct 12" Insertion Valve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
110.	Construct 16" Insertion Valve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
111.	Construct 4" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
112.	Construct 6" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ <b></b> \$	
113.	Construct 8" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$	
114.	Construct 10" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ <b></b> \$	
115.	Construct 12" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ <u> </u>	
116.	Construct 16" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$\$	
117.	Replace Curb Stop, includes Grass Restoration	1	Unit	\$ \$	
118.	Replace Corporation Stop, includes Grass Restoration	1	Unit	\$ \$	
119.	Construct ¾" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u> </u>	_
120.	Construct 1" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u>          \$                          </u>	

121.	includes Grass Restoration	30	L.F.	\$ \$
122.	Construct 2" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u> </u>
123.	Replace Valve Box, includes Roadway Restoration	1	Unit	\$ \$
124.	Replace Valve Box Lid, includes Roadway Restoration	1	Unit	\$ <u> </u>
125.	Labor – Regular Time – Licensed Plumber	1	Unit	\$ \$
126.	Additional County Roadway Trench Restoration, (0'-6' deep)	30	L.F.	\$ <u> </u>
127.	Additional County Roadway Trench Restoration (6'-12' deep)	30	L.F.	\$ \$
128.	Repair water service	1	Unit	\$ \$
Unclassifi	ied Work			
129.	Backhoe Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ \$
130.	7 Ton Trackhoe Rental with or without Concrete Hammer including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ \$
131.	25 Ton Trackhoe Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ <u> </u>
132.	2 Yard Loader Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ \$
133.	3 Yard Loader Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ \$
134.	Bulldozer Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1	Day	\$ <u> </u>
135.	10-Wheel Dump Truck Rental including Operator, Fuel, & Unlimited Mileage	1	Day	\$ \$
136.	6-Wheel Dump Truck Rental including Operator, Fuel, & Unlimited Mileage	1	Day	\$ \$\$
137.	Utility Truck with 2 Laborers. Truck to include Miscellaneous Laborer Tools, Rakes, Shovels, etc.	1	Day	\$ \$\$

138. Supply Road Plates	, <sup>3</sup> / <sub>4</sub> " Thick, 5 x 10"	1	Unit	\$	\$
139. Supply Road Plates	, 3/4" Thick, 4 x 8'	1	Unit	\$	_\$
140. Snow Hauling (Bus	iness Hours)	2	Days	\$	\$
141. Snow Hauling (After	er Hours)	4	Hours	\$	_ \$
SUBTOTAL PRICE (2025	5)		\$		
\$(The total amount is to be shon unit prices will govern.)	nown in words. In case of			nematically co	
January 2026 to December	<u>r 2026</u>				
Item Description	on	Quan	tity	<b>Unit Price</b>	Amount
Miscellaneous Concrete					
1. 4" Concrete Sidewalk		16	S.F.	\$	_ \$
2. 6" Concrete Apron/Si	dewalk	40	S.F.	\$	\$
3. Brick Sidewalk		40	S.F.	\$	\$
4. 6"x8"x18" Concrete 0	Curb	20	L.F.	\$	\$
5. ADA Compliant Curb	Ramp	1	Unit	\$	\$
6. Concrete Gutter (8" tl	nick)	20	S.F.	\$	\$
7. Concrete Roadway (8	"thick)	20	S.F.	\$	\$
Miscellaneous Paving					
8. Milling, 2" Thick (<2	,000 SY)	1,000	SY	\$	\$
9. Milling, 2" Thick (>2	,000 SY)	2,500	SY	\$	\$
10. Milling, 6" Thick (<2	,000 SY)	1,000	SY	\$	\$
11. Milling, 6" Thick (>2	,000 SY)	2,500	SY	\$	\$
12. HMA 9.5M64 Surface without Paver, Tampe	e Course, installed ed or Rolled (<20 tons)	10	TN	\$	\$
13. HMA 9.5M64 Surface Paver to include Tack	e Course installed by Coat, Rolling of Asphalt	50	TN	\$	\$

(20 to 200 tons)

14.	HMA 9.5M64 Surface Course installed by Paver to include Tack Coat, Rolling of Asphalt (>200 tons)	250	TN	\$ \$
15.	HMA 19M64 Base Course, installed without Paver, Tamped or Rolled (<20 tons)	10	TN	\$ \$
16.	HMA 19M64 Base Course installed by Paver to include Rolling of Asphalt (20 to 200 tons)	50	TN	\$ \$
17.	HMA 19M64 Base Course installed by Paver to include Rolling of Asphalt (>200 tons)	250	TN	\$ \$
18.	Bituminous Cold Patch	10	TN	\$ \$
Miscella	aneous Earthwork and Site Restoration			
19.	On-Site Excavation, Unclassified includes General Excavation	20	C.Y.	\$ <u> </u>
20.	Dense Graded Aggregate Subbase	10	C.Y.	\$ \$
21.	Select Borrow (clean, organic free, granular material to be used for roadway subgrade and/or pipe trench backfill) NJDOT mixes I-2, I-5 (gravel), I-6, I-7, or I-8	10	C.Y.	\$ \$
22.	Flowable Fill	5	C.Y.	\$ \$
23.	Crushed Stone 3/8" to 1/2"	1	TN	\$ \$
24.	4" Topsoil and Sod	20	S.Y.	\$ \$
25.	4" Topsoil and Seed	20	S.Y.	\$ <u> </u>
26.	Remove Tree	1	Unit	\$ <b></b> \$
27.	Plant Tree	1	Unit	\$ \$
Storm S	Sewer Structures			
28.	Reset Type B Inlet Frame and Head	1	Unit	\$ \$
29.	Replace Inlet Head and Grate	1	Unit	\$ \$
30.	Cement Parging of Inlet Interior, 0'- 6' deep	1	Unit	\$ \$
31.	Reconstruction of Existing Inlet, 0'- 6' deep	1	Unit	\$ \$
32.	Construct Type "A" Inlet, 0'- 6' deep	1	Unit	\$ \$

33. Cons	struct Type "A" Inlet, 6'- 10' deep	1	Unit	\$ \$
34. Cons	struct Type "B"/"E" Inlet, 0'-6' deep	1	Unit	\$ \$
35. Cons	struct Type "B"/"E" Inlet, 6'- 10' deep	1	Unit	\$ \$
Miscellaneou	as Storm Sewer			
36. Stori	m Sewer Point Repair, 0'-6' deep	1	L.S.	\$ \$
37. Stori	m Sewer Point Repair, 6'-10' deep	1	L.S.	\$ \$
38. Cons	struct 12" RCP, 0'- 6' deep	30	L.F.	\$ \$
39. Cons	struct 12" RCP, 6'-10'deep	30	L.F.	\$ \$
40. Cons	struct 15" RCP, 0'-6' deep	30	L.F.	\$ \$
41. Cons	struct 15" RCP, 6'-10' deep	30	L.F.	\$ \$
42. Cons	struct 18" RCP, 0'-6' deep	30	L.F.	\$ \$
43. Cons	struct 18" RCP, 6'- 10' deep	30	L.F.	\$ \$
44. Cons	struct 21" RCP, 0'-6' deep	30	L.F.	\$ \$
45. Cons	struct 21" RCP, 6'- 10' deep	30	L.F.	\$ \$
46. Cons	struct 24" RCP, 0'-6' deep	30	L.F.	\$ \$
47. Cons	struct 24" RCP, 6'- 10' deep	30	L.F.	\$ \$
48. Cons	struct 30" RCP, 0'-10' deep	30	L.F.	\$ \$
49. Cons	struct 36" RCP, 0'-10' deep	30	L.F.	\$ \$
	struct 6" HDPE Solid or Perforated in e Trench, 0' – 8' deep	30	L.F.	\$ \$
	struct 12" HDPE Solid or Perforated in e Trench, 0'- 8' deep	30	L.F.	\$ \$
	struct 15" HDPE Solid or Perforated in e Trench, 0'- 8' deep	30	L.F.	\$ \$
	struct 18" HDPE Solid or Perforated in e Trench, 0'- 8' deep	30	L.F.	\$ \$
	struct 24" HDPE Solid or Perforated in e trench 0'- 8' deep	30	L.F.	\$ \$
	struct 30" HDPE Solid or Perforated in e Trench, 0'- 8' deep	30	L.F.	\$ \$

56.	Construct 36" HDPE Solid or Perforated in Stone Trench, 0'- 8' deep	30	L.F.	\$ \$	
57.	Construct 12" DIP Storm Drain, 0'–8' deep	50	L.F.	\$ \$	
Sanitar	y Sewer Structures				
58.	Reconstruct Manhole, 0'- 6' deep	1	Unit	\$ \$	
59.	Reconstruct Manhole, 6'-10' deep	1	Unit	\$ \$	
60.	Reconstruct Manhole, 10'-16' deep	1	Unit	\$ \$	
61.	Reset Manhole Frame, includes all Adjacent Restoration	1	Unit	\$ \$	
62.	Install New Manhole Casting and Lid, includes all Adjacent Restoration	1	Unit	\$ <u> </u>	
63.	Construct Manhole, 0'- 6' deep	1	Unit	\$ <u> </u>	
64.	Construct Manhole, 6'-10' deep	1	Unit	\$ \$	
65.	Construct Manhole, 10'-16' deep	1	Unit	\$ \$	
Miscella	aneous Sanitary Sewer				
66.	Replace Sewer Lateral Cleanout 4" PVC, 0'- 6' deep, to include Grass Restoration	1	Unit	\$ \$	
67.	Replace Sewer Lateral Cleanout 4" PVC, 6'- 12' deep, to include Grass Restoration	1	Unit	\$ \$	
68.	Replace sewer lateral 4" PVC, 0'-6' deep, to include Grass Restoration	10	L.F.	\$ \$	
69.	Replace sewer lateral 4" PVC, 6'-12' deep, to include Grass Restoration	10	L.F.	\$ \$	
70.	Replace Sewer Lateral 4" PVC, 0'-6' deep, to include Pavement Restoration	10	L.F.	\$ \$	
71.	Replace Sewer Lateral 4" PVC, 6'-12' deep, to include Pavement Restoration	10	L.F.	\$ \$	
72.	Sanitary Sewer Point Repair, 0'-6' deep, includes Roadway Restoration	1	L.S.	\$ \$	
73.	Sanitary Sewer Point Repair, 6' – 12' deep, includes Roadway Restoration	1	L.S.	\$ \$	

74.	Sanitary Sewer Point Repair, 12' – 18' deep, includes Roadway Restoration	1	L.S.	\$ \$	
75.	Construct 8" PVC Sanitary Sewer, 0'-6' deep	30	L.F.	\$ \$	
76.	Construct 8" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$	
77.	Construct 8" PVC Sanitary Sewer, 12'-18' deep	30	L.F.	\$ \$	
78.	Construct 10" PVC Sanitary Sewer, 0'-6' deep	30	L.F.	\$ \$	
79.	Construct 10" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$	
80.	Construct 10" PVC Sanitary Sewer, 12'-18' deep	30	L.F.	\$ \$	
81.	Construct 12" PVC Sanitary Sewer 0'-6' deep	30	L.F.	\$ \$	
82.	Construct 12" PVC Sanitary Sewer, 6'-12' deep	30	L.F.	\$ \$	
83.	Force Main Point Repair, 0'-8' Deep, Includes Roadway Restoration	1	L.S.	\$ \$	
Miscella	aneous Water				
84.	4" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
85.	6" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
86.	8" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
87.	10" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
88.	12" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
89.	16" Water Main Point Repair, includes Roadway Restoration	1	L.S.	\$ \$	
90.	Construct 4" C.L.D.I.P. Water Main	30	L.F.	\$ \$	
91.	Construct 6" C.L.D.I.P. Water Main	30	L.F.	\$ \$	

92.	Construct 8" C.L.D.I.P. Water Main	30	L.F.	\$ \$
93.	Construct 10" C.L.D.I.P. Water Main	30	L.F.	\$ \$
94. (	Construct 12" C.L.D.I.P. Water Main	30	L.F.	\$ \$
95. (	Construct 16" C.L.D.I.P. Water Main	30	L.F.	\$ \$
	Repair/ Replace 4" Water Main Gate Valve, Includes Roadway Restoration	1	Unit	\$ \$
	Repair/ Replace 6" Water Main Gate Valve, Includes Roadway Restoration	1	Unit	\$ \$
	Repair/Replace 8" Water Main Gate Valve, includes Roadway Restoration	1	Unit	\$ \$
	Repair/ Replace 10" Water Main Gate Valve, Roadway Restoration	1	Unit	\$ \$
100.	Repair/Replace 12" Water Main Gate Valve, Includes Roadway Restoration	1	Unit	\$ \$\$
101.	Repair/Replace 16" Water Main Gate Valve, Includes Roadway Restoration	1	Unit	\$ \$
102.	Repair/Replace Fire Hydrant, includes Roadway Restoration	1	Unit	\$ \$
103.	Repair/ Replace Blowoff, includes Roadway Restoration	1	Unit	\$ \$
104.	Repair/Replace Yard Hydrant, includes Roadway Restoration	1	Unit	\$ \$
105.	Construct 4" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$
106.	Construct 6" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$
107.	Construct 8" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$
108.	Construct 10" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$
109.	Construct 12" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$
110.	Construct 16" Insertion Valve, includes Roadway Restoration	1	Unit	\$ \$

111.	Construct 4" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$	
112.	Construct 6" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$	
113.	Construct 8" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$	
114.	Construct 10" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$	
115.	Construct 12" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$\$	
116.	Construct 16" Tapping Sleeve, includes Roadway Restoration	1	Unit	\$ \$\$	
117.	Replace Curb Stop, includes Grass Restoration	1	Unit	\$ <b></b> \$	
118.	Replace Corporation Stop, includes Grass Restoration	1	Unit	\$ \$\$	
119.	Construct ¾" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ \$\$	
120.	Construct 1" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u> </u>	
121.	Construct 1 1/4" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u> </u>	
122.	Construct 2" Type "K" Copper Water Service, includes Grass Restoration	30	L.F.	\$ <u> </u>	_
123.	Replace Valve Box, includes Roadway Restoration	1	Unit	\$ \$	
124.	Replace Valve Box Lid, includes Roadway Restoration	1	Unit	\$ \$	
125.	Labor – Regular Time – Licensed Plumber	1	Unit	\$ \$	
126.	Additional County Roadway Trench Restoration, (0'-6' deep)	30	L.F.	\$ <u> </u>	
127.	Additional County Roadway Trench Restoration (6'-12' deep)	30	L.F.	\$ \$	
128.	Repair water service	1	Unit	\$ \$	

## **Unclassified Work**

(The tota	l amount is to be shown in words. In case of discrices will govern.)	epancy the math	ematicall	y corrected total base
\$		Dollars and		cents.
TOTAL	AMOUNT BASE BID (January 2025 to Decem	nber 2026) \$		
	l amount is to be shown in words. In case of discr rices will govern.)	epancy the math	ematicall <sub>i</sub>	y corrected total base
\$	Language in the language in some day Tours of discount	Dollars and _		cents.
SUBTO	TAL PRICE (2026)	\$		
141.	Snow Hauling (After Hours)	4 Hours	\$	\$
140.	Snow Hauling (Business Hours)	2 Days	\$	\$
139.	Supply Road Plates, 3/4" Thick, 4 x 8'	1 Unit	\$	\$
138.	Supply Road Plates, 3/4" Thick, 5 x 10'	1 Unit	\$	\$
137.	Utility Truck with 2 Laborers. Truck to include Miscellaneous Laborer Tools, Rakes, Shovels, etc.	1 Day	\$	\$
136.	6-Wheel Dump Truck Rental including Operator, Fuel, & Unlimited Mileage	1 Day	\$	\$
135.	10-Wheel Dump Truck Rental including Operator, Fuel, & Unlimited Mileage	1 Day	\$	\$
134.	Bulldozer Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	\$
133.	3 Yard Loader Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	\$
132.	2 Yard Loader Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	\$
131.	25 Ton Trackhoe Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	\$
130.	7 Ton Trackhoe Rental with or without Concrete Hammer including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	<u> </u>
129.	Backhoe Rental including all Mobilization, Demobilization, Operator, Fuel, etc.	1 Day	\$	\$

CONTRACTOR			
The undersigned is a (circle one) I	Partnership / Corporation / Indiv	vidual under the laws of	of the State of
having principal offices at			
	(Zip Code)		
Witness	Signed		
Contractor			
Address			
Email Address	Phone Number		
Date	Fax Number		